

WEST Search History for Application 10510089

Creation Date: 2008080114:18

Query	DB	Op.	Plur.	Thes.	Date
20060018465.pn. or 20060059102.pn. or 20060230131.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
property adj select\$5 adj list\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn.) and (property adj select\$5 adj list\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3) and content adj key\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3) and (process\$6 adj9 code\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2)) and decrypt\$6	PGPB, USPT, USOC, EPAB, JPAB,	ADJ	YES		08-01-2008

	DWPI, TDBD				
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6) and (attribut near\$5 list\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6) and (proptet\$5 near\$5 list\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (proptet\$5 near\$5 list\$3)) and attribut\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (proptet\$5 near\$5 list\$3) and attribut\$5) and grant\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (proptet\$5 near\$5 list\$3) and attribut\$5) and den\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (proptet\$5 near\$5 list\$3) and attribut\$5 and den\$5) and permit\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and	PGPB, USPT,	ADJ	YES		08-01-2008

content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (propert\$5 near5 list\$3) and attribut\$5 and den\$5 and permit\$6) and match\$3	USOC, EPAB, JPAB, DWPI, TDBD				
(20060018465.pn. or 20060059102.pn. or 20060230131.pn. and property adj select\$5 adj list\$3 and content adj key\$3 and (process\$6 adj9 code\$2) and decrypt\$6 and (propert\$5 near5 list\$3) and attribut\$5 and den\$5 and permit\$6 and match\$3) and attribut\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
20040133448.pn. or 20020013772.pn. or 20030229593.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(property adj select\$5 adj list\$3) andf (20040133448.pn. or 20020013772.pn. or 20030229593.pn.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(property adj select\$5 adj list\$3) and (20040133448.pn. or 20020013772.pn. or 20030229593.pn.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
decrypt\$5 near5 key\$2	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2) and (select\$5 adj list\$3 or table\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	ADJ	YES		08-01-2008

	TDBD				
(decrypt\$5 near5 key\$2) and (decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2)) and licens\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3) and copyright	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
permit\$4 or permission or (grant\$3 adj3 access\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright) and (permit\$4 or permission or (grant\$3 adj3 access\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(setting adj3 code\$3) or (selection adj code\$3 or key\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj3 access\$6))	PGPB, USPT, USOC,	ADJ	YES		08-01-2008

and fl.25	EPAB, JPAB, DWPI, TDBD				
(decrypt\$5 near\$5 key\$2 and decrypt\$5 near\$5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj\$3 access\$6)) and ((setting adj\$3 code\$3) or (selection adj code\$3 or key\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near\$5 key\$2 and decrypt\$5 near\$5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj\$3 access\$6)) and ((setting adj\$3 code\$3) or (selection adj code\$3 or key\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near\$5 key\$2 and decrypt\$5 near\$5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj\$3 access\$6) and (setting adj\$3 code\$3) or (selection adj code\$3 or key\$3)) and propert\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near\$5 key\$2 and decrypt\$5 near\$5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj\$3 access\$6) and (setting adj\$3 code\$3) or (selection adj code\$3 or key\$3) and propert\$3) and den\$5'	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near\$5 key\$2 and decrypt\$5 near\$5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj\$3 access\$6) and (setting adj\$3 code\$3) or (selection adj code\$3 or key\$3) and propert\$3) and den\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
data adj\$3 definition	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008

(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj3 access\$6) and (setting adj3 code\$3) or (selection adj code\$3 or key\$3) and propert\$3 and den\$5) and (data adj3 definition)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
setting near5 (code or key\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2 and decrypt\$5 near5 key\$2 and (select\$5 adj list\$3 or table\$2) and licens\$3 and copyright and permit\$4 or permission or (grant\$3 adj3 access\$6) and (setting adj3 code\$3) or (selection adj code\$3 or key\$3) and propert\$3 and den\$5 and data adj3 definition) and (setting near5 (code or key\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(decrypt\$5 near5 key\$2) and (setting adj3 code\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6)) and (decrypt\$5 near5 key\$2 and (setting adj3 code\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3)) and licens\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3) and encrypt\$6	PGPB, USPT, USOC, EPAB,	ADJ	YES		08-01-2008

	JPAB, DWPI, TDBD				
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6) and decrypt6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6) and permission or permit or (deny adj access\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
permission or permit or (deny adj access\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6) and (permission or permit or (deny adj access\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
compare\$2 or comparison	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3)) and (compare\$2 or comparison)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
		ADJ	YES		08-01-2008

(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison) and licens\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3) and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3 and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130)) and attribute	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3 and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130)) and attribute\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-01-2008
707/6,7,8,10,104.1.ccls. or 713/150,300.ccls. or 382/100,162.ccls. or 379/88.13.ccls. or 719/322.ccls.	PGPB, USPT, USOC	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3 and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130) and attribute\$3) and (707/6,7,8,10,104.1.ccls. or 713/150,300.ccls. or 382/100,162.ccls. or 379/88.13.ccls. or 719/322.ccls.)	PGPB, USPT, USOC	ADJ	YES		08-01-2008
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3 and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130) and attribute\$3 and 707/6,7,8,10,104.1.ccls. or 713/150,300.ccls. or	PGPB, USPT, USOC	ADJ	YES		08-01-2008

382/100,162.ccls. or 379/88.13.ccls. or 719/322.ccls.) and (compare\$2 or comparison)					
(permit\$4 or permission or (grant\$3 adj3 access\$6) and decrypt\$5 near5 key\$2 and (setting adj3 code\$3) and licens\$3 and encrypt\$6 and permission or permit or (deny adj access\$3) and compare\$2 or comparison and licens\$3 and (@pd<20040130 OR @ad<200040130 OR @rlad<20040130 OR @prad<20040130) and attribute\$3 and 707/6,7,8,10,104.1.ccls. or 713/150,300.ccls. or 382/100,162.ccls. or 379/88.13.ccls. or 719/322.ccls. and compare\$2 or comparison) and (no adj match\$3)	PGPB, USPT, USOC	ADJ	YES		08-01-2008